

RETRO DAISY BALANCE BIKE

Keycode: 43559978

Instruction Manual



No Pedal Training Bicycle

- built with strong carbon steel
- rear caliper brake
- adjustable saddle and handlebar
- widened and wear-resistant pneumatic tires
- maximum loading weight: 25kg
- suitable age: 2+




WARNING:

1. Requires adult assembly only. Use only under adult supervision.
2. Always wear an approved safety helmet, gloves, knee and elbow pads when riding.
3. This product is not designed for road use, not permitted for use on public roads or highways.
4. Please remove all packaging attachments before giving this bike to a child.
5. Adults should check regularly to ensure the item is assembled correctly and locking devices are engaged.
6. Suitable age: 2 years+.
7. Maximum weight limit is 25 kg.
8. An adult must read these instructions carefully before use, otherwise it might compromise the child's safety.
9. Do not ride on hills, steeply sloped areas, on or near steps, near swimming pools, or in alleys.
10. This bike should not be used near fire, heat, or water.
11. It contains small parts--choking hazard.
Not suitable for children under 24 months.
12. The toy should be used with caution since skill is required to avoid falls or collisions causing injury to the user or third parties.
13. Always comply with local laws and regulations.
14. The brake may be hot after continuous use. Do not touch after braking.
15. Check brakes and secure all fasteners before every ride.
16. Please keep the clamp tightened.
17. Note the maximum height line on the seat tube and handlebar must not be visible on the outside after assembly.
18. Please retain this instruction sheet for future reference.



Spanner Hex key


Spare part




-Please Assemble Per Instructions -




1. Put the front fork as above.



2. Insert the handlebar and tighten the nut with spanner.



3. Adjust the saddle to suitable height, then tighten the clamer with hex key.



4. Turn bike upside down, release the washer and nut at two sides of the wheel axle, put the front wheel in the slots of front fork, then tighten the nuts as Fig2 by spanner. Ensure the washers are positioned correctly as per Fig1.

Note: Make sure the tyre tread are in right direction as Fig3.

-Please Assemble Per Instructions -



5. Fix the basket on the handlebar with the two belts.



You have finished assembly, please enjoy your trip!

Tips for inflating bicycle tyres

If you find that the tyre has no air pressure before inflation, please follow the instructions to avoid bursting the tyre:

1. Before inflating, please check the correct PSI, the maximum inflation pressure is shown on the tyre sidewall. Check whether the tyre safety line is evenly separated from the wheel rim; If it is found that the tyre safety risk is obviously deviated, please suspend the inflation. Adjust the outer tyre properly to make the distance between the tyre safety line and the wheel rim uniform.



2. When the air is inflated by about 30%, check again to make sure whether the distance between the tyre safety line and the wheel rim is even; If it is found that the tyre safety line is obviously deviated, please suspend the inflation. Adjust the outer tyre properly to make the distance between the tyre safety line and the wheel rim uniform.

3. After adjustment, continue to inflate as usual.

Maintenance:

1. Do not expose the bike to prolonged time in the sun or rain. Store this product in a cool and dry place.
2. The axle should be oiled regularly.
3. All screw components should be checked regularly to ensure they are tightened correctly.
4. Use a damp cloth to wipe the bike frame.
5. Frequently check the tyre inflation pressure as all tyres lose air slowly over time. For extended storage, keep the weight of the bicycle off the tyres.
6. Do not use unregulated air hoses to inflate the inner tubes. An unregulated hose can suddenly over inflate tyres and cause them to burst.
7. Replace worn tyres.

MADE IN CHINA

CUSTOMER SERVICE:

KMART AU: 1800 124 125

KMART NZ: 0800 945 995